



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Ghaziabad Branch Office

Central Laboratory (Chemical Lab Bloc)
Address: Ground & 1st Floor, Plot No. 20/9, Site
IV, Sahibabad Industrial Area,
Sahibabad
Ghaziabad-201010
Phones: 0120-2771090, 91, 92, 93
Fax: 0120-2771094
e-mail: gzo@bis.org.in
web: http://www.bis.org.in

ATTACHMENT TO LICENCE NO. CM/L- 3040027

CML/NO	NAME OF THE LICENSEE WITH THE ADDRESS	NAME OF THE PRODUCT	IS NO.
3040027	Dadu Pipes (P)Ltd, A-72, INDUSTRIAL AREA, SIKANDRABAD, Distt : Bulandshahr Uttar Pradesh	Mild Steel Tubes, Tubulars and Other Wrought Steel Fittings - Specification - Part 1 : Mild Steel Tubes	IS 1239 : Part 1 : 2004

ENDORSEMENT NO. 11 Dated..... 14.1.19

Whereas, the licence was valid upto 31/12/2018,

Now, consequent upon renewal, the validity of the licence given in first schedule of the original licence/endorsement No 10 has been extended from **First January Two Thousand and Nineteen** to **Thirty First December Two Thousand and Nineteen**.

Other terms and conditions of Licence remain the same.

Kanchan Oraon
14.1.19

(KANCHAN ORAON)
SCIENTIST B