



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
Ghaziabad Branch Office

Address Savitri Complex, 116 GT Road
s: Ghaziabad-201001
Phones 0120-2861996, 2861498
:
Fax: 0120-2862195
E-Mail: gzo@bis.org.in
web : <http://www.bis.org.in>

REGISTERED A/D

Our Ref :CM/L-8700000513

Dated :18 Dec 2014

Subject: Grant of BIS Certification Marks Licence No. CM/L-8700000513 as per IS 2713(pt.I & II) : 1980

Dadu Pipes (P)Ltd,,
A-72, INDUSTRIAL AREA, SIKANDRABAD,
Distt : Bulandshar,
Uttar Pradesh

Dear Sir,

With reference to your application, we are pleased to inform you that it has been decided to grant you a licence to use the Standard Mark in respect of the following:

Product: Tubular Steel Poles for Overhead Power Lines

IS No : IS 2713(pt.I & II) : 1980

Type/Size/Grade/Variety covered under licence :

Designation: 410SP-1 to 410SP-80

2. The licence is being granted with the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards referred above.

3.The number assigned to this licence is CM/L- 8700000513 which has been made operative from 16/11/2014 and is valid upto 15/11/2015. The licence number should invariably be referred to in your future correspondence.

4.According to sub-regulation (2) of Regulation 6 of Bureau of Indian Standards (Certification) Regulation, 1988, the licence fee of Rs 1000/- and the marking fee of Rs. 29000.00as stipulated in the Second Schedule of this licence is payable by you with effect from 16/11/2014 for the period of validity of the licence.

Service tax as applicable shall also be charged.

13. ~~A copy/copies of test report(s) of the sample(s) drawn at the time of preliminary inspection of your factory is/are enclosed for your records.~~

14. You are requested to intimate to this office the address of your servicing unit where applicable and the name and designation of the person, his telephone and telex number who should be contacted in case of complaints. It is obligatory on your part as a licensee to keep this office informed about changes taking place from time to time in your declared list of servicing units.

15. The licence is under preparation and will be posted to you in due course.

16. You are requested to send us back the enclosed proforma No. CMD/PF615 duly filled in.

17. An instruction sheet containing "Responsibilities of BIS Licensees" is also enclosed for information / compliance.

Kindly acknowledge receipt of this letter.

Thanking you,


RAKESH CHANDER
SCIENTIST "F" & HEAD
